

**Table 1: Clinicopathologic Features of Tissues Studied.**

Tissue	Diagnosis	Age	Invasion	% Epithelium	Microsatellite	PTEN
P1	Normal Proliferative	40	NA	9	ND	ND
P2	Normal Proliferative	47	NA	11	ND	ND
S1	Normal Secretory	39	NA	38	ND	ND
S2	Normal Secretory	46	NA	39	ND	ND
T1	Endometrioid Adenocarcinoma, Grade 1	68	5%	93	Stable	Null
T2	Endometrioid Adenocarcinoma, Grade 2	61	0%	59	Stable	Null
T3	Endometrioid Adenocarcinoma, Grade 1	50	0%	91	Unstable	Null
T4	Endometrioid Adenocarcinoma, Grade 3	71	5%	90	Unstable	Positive
T5	Endometrioid Adenocarcinoma, Grade 3	61	65%	64	Unstable	Null
T6	Endometrioid Adenocarcinoma, Grade 2	60	80%	96	Stable	Null
T7	Endometrioid Adenocarcinoma, Grade 2	81	33%	92	Stable	Positive
T8	Endometrioid Adenocarcinoma, Grade 3	62	5%	89	Stable	Positive
T9	Endometrioid Adenocarcinoma, Grade 1	73	5%	82	Unstable	Null
T10	Endometrioid Adenocarcinoma, Grade 1	55	0%	93	Unstable	Null

Mutter GL, Baak JP, Fitzgerald JT, Gray R, Neuberg D, Kust GA et al. Global expression changes of constitutive and hormonally regulated genes during endometrial neoplastic transformation. *Gynecol Oncol* 2001; 83(2):177-185.